

Support Information

- How to order
- Special offers
- How to send samples to Evrogen
- Appendix A
- Appendix B
- Appendix C
- Numerical index
- Alphabetical index



Contents

F.1	How to order	139
F.2	Special offers	139
F.3	How to send samples to Evrogen	140
F.4	Appendix A	141
F.5	Appendix B	142
F.6	Appendix C	143
F.7	Numerical index	144
F.8	Alphabetical index	146
F.9	International distributors	151

How to order

Ordering Evrogen products

Please contact your local distributor to get Evrogen products. A complete list of distributors is available on our Web site (www.evrogen.com/distributor.shtml).

For countries not listed in the distributor list, you can order Evrogen products via Axxora Platform Web site (www.axxora.com). For any questions related to ordering, please contact order@evrogen.com

Ordering Evrogen services

Please contact us by e-mail at service@evrogen.com to specify the service you desire; service level (if any); order size, brief description of samples including nucleic acids you plan to provide, nucleic acid amount(s) and source(s); other materials you plan to provide; output materials you desire; and special instructions.

Also, you can fill out a Service Pricing Request Form on-line (please see www.evrogen.com/p-order.shtml page to select an appropriate form). Service manager of Evrogen will contact you within a few days. After clearing up all details of the service you desire, we will send you a Price Quote via e-mail in accordance with your order details.

Order will be initiated upon receiving the corresponding Service Order Form and Purchase Order by fax +7(495) 988 4085. For any questions related to ordering, please contact service@evrogen.com

Special offers

Feedback-based discount program

Evrogen is a rapidly developing innovative company. Our product line is constantly widening, and we aim to provide the best quality services and products to the market. Only scientists can assess the applicability of different products for their applications and can provide feedback, which we value. Evrogen introduces a discount on products granted for your expertise:

1. Send us your article, quoting the use of Evrogen service, and get a 10% discount for next service order.
2. Send us your article, quoting the use of Evrogen products or provide us with data showing successful use of Evrogen products*, and get a 20% discount for next purchase.
3. Send us your data quoting unsuccessful use of Evrogen products*. If problems occurred because of intrinsic imperfections rather than incorrect use of the product, we will do our best to develop an alternative product devoid of these drawbacks and will provide it for you free of charge.

* The data should contain detailed description of experiment and sample photos. The data will not be shared with third party without prior permission of the customer.

Customer Support

Please send your questions and comments related to Evrogen products to customer-support@evrogen.com
We will make all efforts to provide you prompt reply.

How to send samples to Evrogen

Nucleic acid sample preparation

We accept RNA or genomic DNA isolated by all common methods.

Important note: We are not permitted to accept any starting material, which is infectious for humans, animals, or plants. In case starting material for the service of your interest is not infectious but is derived from or related to a pathogen, please contact us via e-mail service@evrogen.com to obtain additional declaration form requested in such cases by local legislation.

Nucleic acid sample transportation

Please ship your nucleic acid samples in ethanol at room temperature via express mail. We strongly recommend the following procedure for DNA or RNA sample preparation:

1. Prepare DNA or RNA water solution with total volume of not less than 30 μ l.
2. Add 0.1 volume of 3 M sodium acetate and 3 volumes of 96% ethanol and mix.

Following this, your samples will be ready to ship at room temperature. Please ensure that the total volume of your sample solution is not less than 120 μ l.

Please do not send the samples on dry ice or blue ice, as such packages require special customs handling and otherwise will not be delivered!

Send your samples to:

Please send the materials via express mail (TNT, UPS, DHL, the like EXCEPT FedEx*) to:

EVROGEN

Miklukho-Maklaya 16/10

Moscow, 117997, Russia

Phone: +7(495) 988 4084

Fax: + 7(495) 988 4085

Attn: Dmitry Shagin

For any questions please contact service@evrogen.com

Important for Safe and Fast Sample Delivery

Please prepare the following two documents:

1. Proforma-invoice (www.evrogen.com/support/customs_form.doc). Please complete all items marked YELLOW in the form, and enclose one copy of the printed form inside the package and the other copy to accompanying documents.
2. Description (www.evrogen.com/support/description.doc). Please print the document on a letterhead of your organization, put any signature and a stamp (if available), and enclose one printed copy of the document INTO the package (please email us a scanned copy of this document prior to sending samples).

Description of samples in the shipping documents may vary depending on country requirements. It is essential to mention "scientific research samples" and "have no commercial value". Please do not mention "medical", "biological" or "ethanol" anywhere in the shipping documents.

Please DO NOT enclose any other documents into the package except for the two above-mentioned forms!

* Please DO NOT send the materials via FedEx due to limitations on delivery of any chemical substances via this carrier to Russian Federation.

Appendix A

Non-exclusive license agreement for Evrogen Fluorescent Protein products

This non-exclusive non-transferable License Agreement ("License Agreement") is the legal agreement between your organization (hereinafter "Licensee") and Evrogen JSC (hereinafter "Evrogen") covering your use of the Evrogen Fluorescent Protein products and its components, derivatives, or modifications ("Product").

By opening the container containing the Evrogen Fluorescent Protein products, you accept the terms and conditions below:

Field of Use. The Product is for Research Use Only by Licensee.

"Research Use Only" means research that is not-for-profit, internal research, or research for evaluation purposes. The Research Use Only specifically excludes using the Product by the Licensee in any activity for consideration.

Non-Exclusive Rights. This license granted by Evrogen to Licensee is non-exclusive to Licensee.

License Term. The term of the license is as follows:

A. If Licensee is a Not-for-Profit entity, the term of the license shall be for as long as it takes Licensee to use the Product in accordance with the terms and conditions of this License Agreement.

B. If Licensee is a For-Profit entity, the term of the license shall be for SIX MONTHS, non renewable, from the date of receipt of the Product. If, after six months, Licensee wishes to continue to use the Product, Licensee wishes to purchase additional Products, or Licensee wishes to use the Product outside the "Research Use Only" field, Licensee shall contact Evrogen at license@evrogen.com for negotiation of an extended license.

Prohibited uses of the Product. Licensee agrees that it will not:

A. offer the Product for resale; or distribute, transfer, or otherwise provide access to the Product to any third party for any purpose, including transfer of the Product as a component of a kit;

B. use the Product to provide a service, information or data (including screening and profiling services);

C. use the Product in manufacturing, including use of the Product in quality control or quality assurance procedures;

D. use the Product for diagnostic or therapeutic purposes.

Property Rights. The Product is covered by Evrogen patents and/or pending patent applications ("Licensed Patents"). Evrogen retains all rights under Licensed Patents not expressly granted herein.

Compliance with laws, precautions. Licensee shall use the Product in strict accordance with all applicable state and federal laws, regulations, and guidelines. Licensee understands that the Product is a biotechnologically engineered product and, as such, should be used with the caution and prudence used for other such products. The Product should not be used for diagnosis of disease or for treatment in humans.

Limited Warranty. Nothing in this Agreement is construed as:

A. a warranty or representation that any method or anything made or used under any license granted in this License Agreement is or will be free from infringement of patents, copyrights, or other rights of third parties;

B. an obligation to bring suit against a third party for any reason; or

C. an obligation to furnish any technology or technological information.

EXCEPT AS EXPRESSLY SET FORTH IN THIS LICENSE AGREEMENT, EVROGEN MAKES NO REPRESENTATIONS AND EXTENDS NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED. THERE ARE NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Indemnification. Licensee will indemnify, hold harmless, and defend Evrogen, and its respective trustees, officers, employees, and agents against all claims for death, illness, personal injury, property damage, or improper business practices arising out of the use or other disposition of the Product.

Limitation of Liability. Evrogen will not be liable for any indirect, special, consequential, or other damages whatsoever, whether grounded in tort (including negligence), strict liability, contract, or otherwise. Evrogen will not have any responsibility or liability whatsoever with respect to Licensee's research or damages thereto suffered in connection with the Product or this License Agreement.

Governing Law. This License Agreement shall be governed by and construed and enforced in accordance with, the laws of the Russian Federation.

Appendix B

Non-exclusive license agreement for Evrogen Nucleic Acid-Related Products

The purchase of this product or obtaining the product from Evrogen for evaluation conveys the non-transferable right to the recipient to use the obtained amount of the product and its components ("Product") for Research as long as it takes the recipient to use the Product.

"Research" means research that is Not-for-Profit, internal research, or research for evaluation purposes. The Research specifically excludes use of the Product by the recipient in any activity for consideration.

Prohibited uses of the Product. The recipient shall not:

- A. offer the Product for resale; or distribute, transfer, or otherwise provide access to the Product to any third party for any purpose, including transfer of the Product as a component of a kit;
- B. use the Product to provide a service, information, or data;
- C. use the Product in manufacturing, including use of the Product in quality control or quality-assurance procedures;
- D. use the Product for diagnostic or therapeutic purposes.

For commercial use of the Product please contact Evrogen at license@evrogen.com for license information.

Appendix C

Limited Use Label License No. 19: Gateway® Cloning Products (Invitrogen)

This product and its use is the subject of one or more of U.S. Patent Nos. 5,888,732, 6,143,557, 6,171,861, 6,270,969, 6,277,608, and 6,720,140 and/or other pending U.S. and foreign patent applications owned by Invitrogen Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for profit entity). The purchase of this product does not convey a license under any method claims in the foregoing patents or patent applications, or to use this product with any recombination sites other than those purchased from Invitrogen Corporation or its authorized distributor. The right to use methods claimed in the foregoing patents or patent applications with this product for research purposes can only be acquired by the use of Clonase™ purchased from Invitrogen Corporation or its authorized distributors. The buyer cannot modify the recombination sequence(s) contained in this product for any purpose. The buyer cannot sell or otherwise transfer (a) this product, (b) its components, or (c) materials made by the employment of this product or its components to a third party or otherwise use this product or its components or materials made by the employment of this product or its components for Commercial Purposes. The buyer may transfer information or materials made through the employment of this product to a scientific collaborator, provided that such transfer is not for any Commercial Purpose, and that such collaborator agrees in writing (a) not to transfer such materials to any third party, and (b) to use such transferred materials and/or information solely for research and not for Commercial Purposes. Notwithstanding the preceding, any buyer who is employed in an academic or government institution may transfer materials made with this product to a third party who has a license from Invitrogen under the patents identified above to distribute such materials. Transfer of such materials and/or information to collaborators does not convey rights to practice any methods claimed in the foregoing patents or patent applications. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. Invitrogen Corporation will not assert a claim against the buyer of infringement of the above patents based upon the manufacture, use or sale of a therapeutic, clinical diagnostic, vaccine or prophylactic product developed in research by the buyer in which this product or its components was employed, provided that none of (i) this product, (ii) any of its components, or (iii) a method claim of the foregoing patents, was used in the manufacture of such product. Invitrogen Corporation will not assert a claim against the buyer of infringement of the above patents based upon the use of this product to manufacture a protein for sale, provided that no method claim in the above patents was used in the manufacture of such protein. If the purchaser is not willing to accept the limitations of this limited use statement, Invitrogen is willing to accept return of the product with a full refund. For information on purchasing a license to use this product for purposes other than those permitted above, contact Licensing Department, Invitrogen Corporation, 1600 Faraday Avenue, Carlsbad, California 92008. Phone (760) 603-7200.

Numerical index

Cat. #	Product	Page	Cat. #	Product	Page
AB121	Anti-Tag(CGY)FP antibody	101	FP131	pTagYFP-C vector	43
AB122	Anti-Tag(CGY)FP antibody	101	FP132	pTagYFP-N vector	45
AB231	Anti-tRFP antibody	104	FP134	pTagYFP-actin vector	50
AB232	Anti-tRFP antibody	104	FP135	pTagYFP-tubulin vector	50
AB501	Anti-CopGFP antibody	100	FP137	pTagYFP-mito vector	47
AB502	Anti-CopGFP antibody	100	FP141	pTagRFP-C vector	43
AB511	Anti-TurboGFP antibody	98	FP142	pTagRFP-N vector	45
AB512	Anti-TurboGFP antibody	98	FP144	pTagRFP-actin vector	50
AB513	Anti-TurboGFP(d) antibody	99	FP145	pTagRFP-tubulin vector	50
AB514	Anti-TurboGFP(d) antibody	98	FP147	pTagRFP-mito vector	47
AB601	Anti-PhiYFP antibody	102	FP148	Gateway® TagRFP-AS-C vector	40
AB602	Anti-PhiYFP antibody	102	FP149	Gateway® TagRFP-AS-N vector	41
AB603	Anti-PhiYFP(d) antibody	103	FP171	pTagBFP-C vector	43
AB604	Anti-PhiYFP(d) antibody	103	FP172	pTagBFP-N vector	45
AB821	Anti-Dendra2 antibody	105	FP174	pTagBFP-actin vector	50
AB822	Anti-Dendra2 antibody	105	FP175	pTagBFP-tubulin vector	50
AB961	Anti-KillerRed antibody	106	FP176	pTagBFP-H2B vector	51
AB962	Anti-KillerRed antibody	106	FP181	pmKate2-C vector	43
AD001	Custom assay development	136	FP182	pmKate2-N vector	45
EA001	Duplex-specific nuclease, lyophilized (50 units)	114	FP184	pmKate2-actin vector	50
EA002	Duplex-specific nuclease, lyophilized (100 units)	114	FP185	pmKate2-tubulin vector	50
EA003	Duplex-specific nuclease, lyophilized (10 units)	114	FP186	pmKate2-f-mem vector	48
CS010	cDNA normalization service, non-directional cloning	120	FP187	pmKate2-mito vector	47
CS011	cDNA normalization service, directional cloning	120	FP191	pTagGFP2-C vector	43
CS012	cDNA depletion and library construction service	122	FP192	pTagGFP2-N vector	45
CS021	cDNA subtraction and library construction service	124	FP194	pTagGFP2-actin vector	50
CS022	Bacterial genome subtraction service	126	FP195	pTagGFP2-tubulin vector	50
CS030	cDNA synthesis service	118	FP197	pTagGFP2-mito vector	47
CS031	PCR cloning service	129	FP231	pTurboRFP-C vector	43
CS032	Subcloning service	130	FP232	pTurboRFP-N vector	45
CS033	RACE and full-length cDNA isolation service	131	FP233	pTurboRFP-B vector	42
CS035	Genome walking service	132	FP235	pTurboRFP-PRL vector	52
CS040	Standard cDNA library construction service	119	FP237	pTurboRFP-mito vector	47
CS041	Site-directed mutagenesis service	134	FP238	pTurboRFP-PRL-dest1 vector	52
FP111	pTagCFP-C vector	43	FP239	pTurboRFP-dest1 vector	45
FP112	pTagCFP-N vector	45	FP301	pKindling-Red-N vector	68
FP114	pTagCFP-actin vector	50	FP302	pKindling-Red-B vector	68
FP115	pTagCFP-tubulin vector	50	FP310	pmKate2-laminB1 vector	51
FP117	pTagCFP-mito vector	47	FP311	pmKate2-H2B vector	51
			FP312	pmKate2-lyso vector	49
			FP313	pmKate2-peroxi vector	48
			FP314	pmKate2-endo vector	49
			FP315	pmKate2-zyxin vector	50
			FP316	pmKate2-EB3 vector	50
			FP317	pmKate2-actinin vector	50
			FP318	pmKate2-vimentin vector	50
			FP319	pmKate2-keratin vector	50
			FP320	pmKate2-profilin vector	50

Cat. #	Product	Page	Cat. #	Product	Page
FP321	pmKate2-annexin vector	51	FP715	pTurboFP602-PRL vector	52
FP322	pmKate2-clathrin vector	51	FP717	pTurboFP602-mito vector	47
FP323	pmKate2-paxillin vector	50	FP721	pTurboFP635-C vector	43
FP351	rKFP-Red recombinant protein	69	FP722	pTurboFP635-N vector	45
FP360	pTagRFP-actinin vector	50	FP801	pPS-CFP2-C vector	64
FP361	pTagRFP-integrin vector	50	FP802	pPS-CFP2-N vector	64
FP362	pTagRFP-Cx26 vector	51	FP941	pHyPer-cyto vector	74
FP363	pTagRFP-Cx32 vector	51	FP942	pHyPer-dMito vector	74
FP364	pTagRFP-Cx43 vector	51	FP943	Gateway® HyPer-AS vector	75
FP365	pTagRFP-EB3 vector	50	FP944	pHyPer-nuc vector	75
FP366	pTagRFP-FAK vector	50	FP961	pKillerRed-C vector	92
FP367	pTagRFP-Golgi vector	47	FP962	pKillerRed-N vector	92
FP368	pTagRFP-H2B vector	51	FP963	pKillerRed-B vector	93
FP369	pTagRFP-keratin vector	50	FP964	pKillerRed-dMito vector	93
FP370	pTagRFP-laminB1 vector	51	FP966	pKillerRed-mem vector	94
FP371	pTagRFP-profilin vector	50	FP970	pCasper3-BG vector	83
FP372	pTagRFP-vinculin vector	50	FP971	pCasper3-GR vector	86
FP373	pTagRFP-zyxin vector	51	FP991	pCase12-cyto vector	79
FP382	pTagFP635-Cx26 vector	51	FP992	pCase12-mito vector	80
FP383	pTagFP635-Cx32 vector	51	FP993	pCase12-mem vector	80
FP384	pTagFP635-Cx43 vector	51	FPF11	Fusion Cyan vector set	15
FP388	pTagFP635-vinculin vector	50	FPF13	Fusion Yellow vector set	19
FP401	pKindling-Red-mito vector	69	FPF14	Fusion Red vector set	22
FP511	pTurboGFP-C vector	43	FPF20	Fusion Blue vector set	13
FP512	pTurboGFP-N vector	45	FPF22	Fusion Green vector set	17
FP513	pTurboGFP-B vector	42	FPF25	Fusion Far-Red vector set	25
FP515	pTurboGFP-PRL vector	52	FPK01	Cell-Killer vector set	91
FP517	pTurboGFP-mito vector	47	FPK02	Membrane-Killer vector set	91
FP518	pTurboGFP-PRL-dest1 vector	52	FPK03	Double-Killer vector set	91
FP519	pTurboGFP-dest1 vector	45	FPM01	Mito-tracker vector set	67
FP521	Gateway® TurboGFP-C vector	40	FPP03	Promoter-tracker Green vector set	29
FP522	Gateway® TurboGFP-N vector	41	FPP14	Promoter-tracker Yellow vector set	32
FP552	rTurboGFP recombinant protein	54	FPP15	Promoter-tracker 3-colors vector set	29
FP601	pPhi-Yellow-C vector	43	FPS00	Custom optimization of Evrogen expression vectors	135
FP602	pPhi-Yellow-N vector	45	FPS01	HyPer vector set	73
FP603	pPhi-Yellow-B vector	42	NK001	Trimmer cDNA normalization kit	112
FP604	pPhi-Yellow-PRL vector	52	NK002	Trimmer-Direct cDNA normalization kit	112
FP605	pPhi-Yellow-PRL-dest1 vector	52	PK001	Encyclo PCR kit	111
FP606	pPhi-Yellow-peroxi vector	48	SK001	Mintc DNA synthesis kit	109
FP607	pPhi-Yellow-mito vector	47	SK002	Mint-Universal cDNA synthesis kit	109
FP608	pPhi-Yellow-dest1 vector	45			
FP611	pTurboYFP-C vector	43			
FP612	pTurboYFP-N vector	45			
FP613	pTurboYFP-B vector	42			
FP615	pTurboYFP-PRL vector	52			
FP618	pTurboYFP-PRL-dest1 vector	52			
FP619	pTurboYFP-dest1 vector	45			
FP651	rPhiYFP recombinant protein	54			
FP711	pTurboFP602-C vector	43			
FP712	pTurboFP602-N vector	45			
FP713	pTurboFP602-B vector	42			

Alphabetical index

A			
<i>β</i> -actin localization vectors		Case12	
pmKate2-actin vector	50	Vectors	79, 80
pTagBFP-actin vector	50	Caspase-3 apoptosis sensor	
pTagCFP-actin vector	50	Casper3-BG	81–83
pTagGFP2-actin vector	50	Casper3-GR	84–86
pTagRFP-actin vector	50	Casper3-BG	
pTagYFP-actin vector	50	Vectors	83
<i>α</i> -actinin localization vectors		Casper3-GR	
pmKate2-actinin vector	50	Vectors	86
pTagRFP-actinin vector	50	cDNA normalization kit, Trimmer	112
Amplification and cloning		cDNA preparation and library construction	
Genome walking service	132	cDNA depletion service	122
PCR cloning service	129	cDNA normalization service	121
RACE and full-length cDNA isolation service	131	cDNA preparation service	118
Subcloning service	130	cDNA subtraction service	124
Annexin localization vectors		Standard cDNA library construction service	119
pmKate2-annexin vector	51	cDNA synthesis kit, Mint	109
Antibodies		Cell-Killer vector set	91
Anti-CopGFP antibody	100	Clathrin light chain LCB localization vectors	
Anti-Dendra2 antibody	105	pmKate2-clathrin vector	51
Anti-KillerRed antibody	106	Connexin 26 localization vectors	
Anti-PhiYFP antibody	102	pTagFP635-Cx26 vector	51
Anti-PhiYFP(d) antibody	103	pTagRFP-Cx26 vector	51
Anti-Tag(CGY)FP antibody	101	Connexin 32 localization vectors	
Anti-tRFP antibody	104	pTagFP635-Cx32 vector	51
Anti-TurboGFP antibody	98	pTagRFP-Cx32 vector	51
Anti-TurboGFP(d) antibody	99	Connexin 43 localization vectors	
Arabidopsis-optimized vectors	40, 41, 75	pTagFP635-Cx43 vector	51
		pTagRFP-Cx43 vector	51
		Cyan fluorescent protein	
		TagCFP	14–15
		Cytokeratin-18 localization vectors	
		pmKate2-keratin vector	50
		pTagRFP-keratin vector	50
B		D	
Bacterial expression vectors		Double-Killer vector set	91
pKillerRed-B vector	93	Duplex-specific nuclease DSN	114
pKindling-Red-B vector	68	E	
pPhi-Yellow-B vector	42	EB3 protein localization vectors	
pTurboFP602-B vector	42	pmKate2-EB3 vector	50
pTurboGFP-B vector	42	pTagRFP-EB3 vector	50
pTurboRFP-B vector	42	Encyclo PCR kit	111
pTurboYFP-B vector	42	Endosomes localization vectors	
Bacterial genome subtraction service	126	pmKate2-endo vector	49
Biosensors		Eukaryotic genome subtraction service	128
for calcium ion Case12	76–80	F	
for caspase 3 mediated apoptosis		Fluorescent Biosensors	
Casper3-BG	81–83	for calcium ion Case12	76–80
Casper3-GR	84–86	for caspase 3 mediated apoptosis	
for hydrogen peroxide HyPer	71–75		
Blue fluorescent protein			
TagBFP	12–13		
C			
Calcium ion sensor Case12	76–80		

Casper3-BG	81–83	L	
Casper3-GR	84–86	Lamin B1 localization vectors	
for hydrogen peroxide HyPer	71–75	pmKate2-laminB1 vector	51
Fluorescent proteins related services		pTagRFP-laminB1 vector	51
Custom assay development	136	Lysosomes localization vectors	
Custom optimization of vectors	135	pmKate2-lyso vector	49
Focal adhesion kinase localization vectors		M	
pTagRFP-FAK vector	50	Membrane localization vectors	
Fusion Blue vector set	13	pmKate2-f-mem vector	48
Fusion Cyan vector set	15	Membrane-Killer vector set	91
Fusion Far-Red vector set	25	Mint cDNA synthesis kit	109
Fusion Green vector set	17	Mito-tracker vector set	29, 32, 67
Fusion Red vector set	22	Mitochondria localization vectors	
Fusion Yellow vector set	19	pKindling-Red-mito vector	69
G		pmKate2-mito vector	47
Gateway® entry clones		pPhi-Yellow-mito vector	47
Gateway® HyPer-AS	75	pTagCFP-mito vector	47
Gateway® TagRFP-AS-C vector	40	pTagGFP2-mito vector	47
Gateway® TagRFP-AS-N vector	41	pTagRFP-mito vector	47
Gateway® TurboGFP-C vector	40	pTagYFP-mito vector	47
Gateway® TurboGFP-N vector	41	pTurboFP602-mito vector	47
Gene synthesis and modification		pTurboGFP-mito vector	47
Gene synthesis service	133	pTurboRFP-mito vector	47
Site-directed mutagenesis service	134	mKate2	22
Genome Subtraction		Anti-tRFP antibody	104
Bacterial genome subtraction service	126	Vectors	43, 45, 47–51
Eukaryotic genome subtraction service	128	Monomeric fluorescent protein	
Genome walking service	132	mKate2	22–25
Golgi localization vectors		PS-CFP2	61–64
pTagRFP-Golgi vector	47	TagBFP	12–13
Green fluorescent protein		TagCFP	14–15
TagGFP2	16–17	TagFP635	23, 50
TurboGFP	27–29	TagGFP2	16–17
H		TagRFP	20–22
Histone H2B localization vectors		TagYFP	18–19
pmKate2-H2B vector	51	P	
pTagBFP-H2B vector	51	Paxillin localization vectors	
pTagRFP-H2B vector	51	pmKate2-paxillin vector	50
Hydrogen peroxide sensor HyPer	71–75	pCase12-cyto vector	79
HyPer		pCase12-mem vector	80
Vectors	74, 75	pCase12-mito vector	80
HyPer vector set	73	pCasper3-BG vector	83
I		pCasper3-GR vector	86
α-V-integrin localization vectors		PCR cloning service	129
pTagRFP-integrin vector	50	PCR kit, Encyclo	111
K		Peroxisomes localization vectors	
KFP-Red	65	pmKate2-peroxi vector	48
Recombinant protein	69	PhiYFP	30
Vectors	68, 69	Anti-PhiYFP antibody	102
KillerRed	87	Anti-PhiYFP(d) antibody	103
Anti-KillerRed antibody	106	Recombinant protein	54
Vectors	92–94	Vectors	42, 45, 47, 48, 52
		PhiYFP-m	30
		Vectors	43

Photoactivatable fluorescent protein		pTurboFP602-PRL vector	52
KFP-Red	65–69	pTurboGFP-PRL vector	52
Photosensitizer KillerRed	87–94	pTurboGFP-PRL-dest1 vector	52
Photoswitchable fluorescent protein		pTurboRFP-PRL vector	52
KFP-Red	65–69	pTurboRFP-PRL-dest1 vector	52
PS-CFP2	61–64	pTurboYFP-PRL vector	52
pHyPer-cyto vector	74	pTurboYFP-PRL-dest1 vector	52
pHyPer-dMito vector	74	Protein localization tags	12–25
pHyPer-nuc vector	75	mKate2	22–25
pKillerRed-B vector	93	TagBFP	12–13
pKillerRed-dMito vector	93	TagCFP	14–15
pKillerRed-mem vector	94	TagFP635	23, 25, 50
pKillerRed-N vector	92	TagGFP2	16–17
pKindling-Red-B vector	68	TagRFP	20–22
pKindling-Red-mito vector	69	TagYFP	18–19
pKindling-Red-N vector	68	PS-CFP2	61
pmKate2-actin vector	50	Anti-Tag(CGYP)FP antibody	101
pmKate2-actinin vector	50	Vectors	64
pmKate2-annexin vector	51	pTagBFP-actin vector	50
pmKate2-C vector	43	pTagBFP-C vector	43
pmKate2-clathrin vector	51	pTagBFP-H2B vector	51
pmKate2-EB3 vector	50	pTagBFP-N vector	45
pmKate2-endo vector	49	pTagBFP-tubulin vector	50
pmKate2-f-mem vector	48	pTagCFP-actin vector	50
pmKate2-H2B vector	51	pTagCFP-C vector	43
pmKate2-keratin vector	50	pTagCFP-mito vector	47
pmKate2-laminB1 vector	51	pTagCFP-N vector	45
pmKate2-lyso vector	49	pTagCFP-tubulin vector	50
pmKate2-mito vector	47	pTagFP635-Cx26 vector	51
pmKate2-N vector	45	pTagFP635-Cx32 vector	51
pmKate2-paxillin vector	50	pTagFP635-Cx43 vector	51
pmKate2-peroxi vector	48	pTagFP635-vinculin vector	50
pmKate2-profilin vector	50	pTagGFP2 vector	45
pmKate2-tubulin vector	50	pTagGFP2-actin vector	50
pmKate2-vimentin vector	50	pTagGFP2-C vector	43
pmKate2-zyxin vector	50	pTagGFP2-mito vector	47
pPhi-Yellow-B vector	42	pTagGFP2-tubulin vector	50
pPhi-Yellow-C vector	43	pTagRFP-actin vector	50
pPhi-Yellow-dest1 vector	45	pTagRFP-actinin vector	50
pPhi-Yellow-mito vector	47	pTagRFP-C vector	43
pPhi-Yellow-N vector	45	pTagRFP-Cx26 vector	51
pPhi-Yellow-peroxi vector	48	pTagRFP-Cx32 vector	51
pPhi-Yellow-PRL vector	52	pTagRFP-Cx43 vector	51
pPhi-Yellow-PRL-dest1 vector	52	pTagRFP-EB3 vector	50
pPS-CFP2-C vector	64	pTagRFP-FAK vector	50
pPS-CFP2-N vector	64	pTagRFP-Golgi vector	47
Profilin localization vectors		pTagRFP-H2B vector	51
pmKate2-profilin vector	50	pTagRFP-integrin vector	50
pTagRFP-profilin vector	50	pTagRFP-keratin vector	50
Promoter-tracker 3-colors vector set	29, 32, 34	pTagRFP-laminB1 vector	51
Promoter-tracker Green vector set	29	pTagRFP-mito vector	47
Promoter-tracker Yellow vector set	32	pTagRFP-N vector	45
Promoterless vectors		pTagRFP-profilin vector	50
pPhi-Yellow-PRL vector	52	pTagRFP-tubulin vector	50
pPhi-Yellow-PRL-dest1 vector	52	pTagRFP-vinculin vector	50

pTagRFP-zyxin vector	51	TagCFP	14
pTagYFP-actin vector	50	Anti-Tag(CGY)FP antibody	101
pTagYFP-C vector	43	Vectors	43, 45, 47, 50
pTagYFP-mito vector	47	TagFP635	23, 50
pTagYFP-N vector	45	Anti-tRFP antibody	104
pTagYFP-tubulin vector	50	Vectors	50, 51
pTurboFP602-B vector	42	TagGFP2	16
pTurboFP602-C vector	43	Anti-Tag(CGY)FP antibody	101
pTurboFP602-mito vector	47	Vectors	43, 45, 47, 50
pTurboFP602-N vector	45	TagRFP	20
pTurboFP602-PRL vector	52	Anti-tRFP antibody	104
pTurboFP635-C vector	43	Vectors	40, 41, 43, 45, 47, 50, 51
pTurboFP635-N vector	45	TagYFP	18
pTurboGFP-B vector	42	Anti-Tag(CGY)FP antibody	101
pTurboGFP-C vector	43	Vectors	43, 45, 47, 50
pTurboGFP-dest1 vector	45	Trimmer cDNA normalization kit	112
pTurboGFP-mito vector	47	α -tubulin localization vectors	
pTurboGFP-N vector	45	pmKate2-tubulin vector	50
pTurboGFP-PRL vector	52	pTagBFP-tubulin vector	50
pTurboGFP-PRL-dest1 vector	52	pTagCFP-tubulin vector	50
pTurboRFP-B vector	42	pTagGFP2-tubulin vector	50
pTurboRFP-C vector	43	pTagRFP-tubulin vector	50
pTurboRFP-dest1 vector	45	pTagYFP-tubulin vector	50
pTurboRFP-mito vector	47	TurboFP602	35–36
pTurboRFP-N vector	45	Anti-tRFP antibody	104
pTurboRFP-PRL vector	52	Vectors	42, 43, 45, 47, 52
pTurboRFP-PRL-dest1 vector	52	TurboFP635	37–38
pTurboYFP-B vector	42	Anti-tRFP antibody	104
pTurboYFP-C vector	43	Vectors	43, 45
pTurboYFP-dest1 vector	45	TurboFPs	27–38
pTurboYFP-N vector	45	TurboFP602	35–36
pTurboYFP-PRL vector	52	TurboFP635	37–38
pTurboYFP-PRL-dest1 vector	52	TurboGFP	27–29
		TurboRFP	33–34
		TurboYFP	30–32
		TurboGFP	27–29
		Anti-TurboGFP antibody	98
		Anti-TurboGFP(d) antibody	99
		Recombinant protein	54
		Vectors	40–43, 45, 47, 52
		TurboRFP	33–34
		Anti-tRFP antibody	104
		Vectors	42, 43, 45, 47, 52
		TurboYFP	30–32
		Anti-PhiYFP antibody	102
		Anti-PhiYFP(d) antibody	103
		Vectors	42, 43, 45, 52
R		V	
RACE and full-length cDNA isolation service	131	Vector sets	
Red (far-red) fluorescent protein		Cell-Killer vector set	91
mKate2	22–25	Double-Killer vector set	91
TurboFP635	37–38	Fusion Blue vector set	13
Red (orange) fluorescent protein		Fusion Cyan vector set	15
TagRFP	20–22	Fusion Far-Red vector set	25
TurboRFP	33–34		
Red (true-red) fluorescent protein			
TurboFP602	35–36		
rKFP-Red recombinant protein	69		
S			
Saccharomyces-optimized vectors	40, 41, 75		
Site-directed mutagenesis service	134		
Subcloning service	130		
T			
TagBFP	12		
Anti-tRFP antibody	104		
Vectors	43, 45, 50, 51		

Fusion Green vector set	17
Fusion Red vector set	22
Fusion Yellow vector set	19
HyPer vector set	73
Membrane-Killer vector set	91
Mito-tracker vector set	29, 32, 67
Promoter-tracker 3-colors vector set	29, 32, 34
Promoter-tracker Green vector set	29
Promoter-tracker Yellow vector set	32
Vimentin localization vectors	
pmKate2-vimentin vector	50
Vinculin localization vectors	
pTagFP635-vinculin vector	50
pTagRFP-vinculin vector	50

Y

Yellow fluorescent protein	
PhiYFP	30
PhiYFP-m	30
TagYFP	18–19
TurboYFP	30–32

Z

Zyxin localization vectors	
pmKate2-zyxin vector	50
pTagRFP-zyxin vector	51

International distributors

Argentina

Lab Scientific, Inc.

8325 NW 66St
Miami, FL 33166
Phone +1 305 716 9922
Fax +1 305 716 9923
e-mail: rshlesinger@labscient.com
Web site: www.labscient.com

Australia

Sapphire Bioscience Pty. Ltd.

Suite 1, 134 Redfern Street, AU-Redfern NSW 2016, Australia
Phone 61 (0) 2 9698 2022
Fax 61 (0) 2 9698 1022
e-mail: sales@sapphirebioscience.com
Web site: www.sapphirebioscience.com

Austria

BioCat GmbH

Im Neuenheimer Feld 584, D-69120 Heidelberg, Germany
Phone 49 (0) 6221 714 15 16
Fax 49 (0) 6221 714 15 29
e-mail: info@biocat.com
Web site: www.biocat.com

Belgium

Bio-Connect B.V.

Begoniaalaan 3a, 6851 TE HUISSEN The Netherlands
Phone 31 (0) 26 326 4450
Fax 31 (0) 26 326 4451
e-mail: info@bio-connect.nl
Web site: www.bio-connect.nl

Brazil

Sellex S.A.C.

Rua Arandu, 205/1105, BR-04562-030 Sao Paulo, Brazil
Phone (0) 11 5506 4646
Fax (0) 11 5505 7433
e-mail: vendas@sellex.com
Web site: www.sellex.com

Canada

Axxora, LLC

6181 Cornerstone Court East Suite 103 San Diego, CA 92121
Phone 1 800 550 3896 or (858) 550 2032
Fax 1 800 550 8825 or (858) 550 8825
e-mail: evrogen@axxora.com
Web site: www.axxora.com/evn

China

ChinaGen, INC.

FL.1, Building One, 2nd Industrial District, Kefa Road Science
Technology Park Central Shenzhen, 518057, P.R.China
Phone 86 755 26014525, 26014565
Fax 86 755 26014527
e-mail: marketing@chinagen.com.cn
Web site: www.chinagen.com.cn

Shanghai Perfect Biotech Co., Ltd.

Suite 5E/Shangxiu Business Center 825/Zhao Jia Bang Road
Shanghai, 200032, P.R.China
Phone 86 21 51088100
Fax 86 21 64874418
e-mail: order@pufei.com
Web site: www.pufei.com

France

Euromedex

24 rue des Tuileries BP 684, 67460 Souffelweyersheim, France
Phone 03 88 18 07 22
Fax 03 88 18 07 25
e-mail: research@euromedex.com
Web site: www.euromedex.com

Germany

BioCat GmbH

Im Neuenheimer Feld 584, D-69120 Heidelberg, Germany
Phone 49 (0) 6221 714 15 16
Fax 49 (0) 6221 714 15 29
e-mail: info@biocat.com
Web site: www.biocat.com

Hong Kong

ChinaGen, INC.

FL.1, Building One, 2nd Industrial District, Kefa Road Science
Technology Park Central Shenzhen, 518057, P.R.China
Phone 86 755 26014525, 26014565
Fax 86 755 26014527
e-mail: marketing@chinagen.com.cn
Web site: www.chinagen.com.cn

India

Saflabs Private Limited

202, Mayuresh Cosmos, Sector 11, Plot 37, CBD Belapur,
Navi Mumbai - 400 614, Maharashtra state, India
Phone +91 22 67122644
Fax +91 22 67122645
e-mail: info@saflabs.com
Web site: www.saflabs.com

Israel

BioConsult

Harlap 52, P.O.Box 7672 Jerusalem 91076, Israel
Phone 052 571 54 36
Fax 02 566 70 43
e-mail: main@bioconsult.co.il
Web site: www.bioconsult.co.il

Italy

Vinci Biochem

Via Ponte di Bagnolo, 10, IT-50059 Vinci (FI), Italy
Phone 0571 568 147
Fax 0571 568 132
e-mail: vb@vincibiochem.it
Web site: www.vincibiochem.it

CPS Analitica Srl

Via Neera 8/A 20141 Milano, Italy
Phone 0039 2 895 42 01
Fax 0039 2 895 42 022
or
L.go Leopardi 12 00185 Roma, Italy
Phone 0039 6 474 21 04
Fax 0039 6 474 21 08
e-mail: cps@cps.it
Web site: www.cps.it

Japan

Wako Pure Chemical Industries, Ltd.

1-2, Doshomachi 3-Chome, Chuo-Ku Osaka 540-8605, Japan
Phone 81 6 6203 3741
Fax 81 6 6201 5964
e-mail: labchem-tec@wako-chem.co.jp
Web site: www.wako-chem.co.jp

Nacalai Tesque, Inc.

498 Higashitamaya-cho, Nijo Karasuma Nakagyo-ku Kyoto
604-0855 Japan
Phone 075 211 2703
Fax 075 211 2673
e-mail: info-tech@nacalai.co.jp
Web site: www.nacalai.co.jp

Korea

Chun Yang Tech

Samjung Dong 36-1 Ojeonggu Tekeuno Techno-park the third,
Office Number 104dong 708 HO, KR-Bucheon City Kyunggido,
421-808 South Korea
Tel: +82-32-624-0160 2
Fax: +82-32-624-0163
e-mail: 123ky@naver.com
Web site: www.alexiskorea.co.kr

Biomax Co., Ltd

#302, 584-10, Nowon, Kongleung, Seoul 139-807, Korea
Phone 82 2 3296 3158,9
Fax 82 2 973 2858
e-mail: info@biomaxkorea.com
Web site: www.biomaxkorea.com

Sambo Medical Co.

Woojin B/D 2F, 266-1 Yangae-Dong, Seocho-Ku,
Seoul 137-130, Korea
Phone 82 2 575 4945
Fax 82 2 574 7595
e-mail: info@sambomed.co.kr
Web site: www.sambomed.co.kr

Luxembourg

Bio-Connect B.V.

Begonialaan 3a, 6851 TE HUISSSEN The Netherlands
Phone 31 (0) 26 326 4450
Fax 31 (0) 26 326 4451
e-mail: info@bio-connect.nl
Web site: www.bio-connect.nl

Mexico**Consultoria de Laboratorios S.A.**

de C.V. (ConsuLAB-BQ SOS), CJ Libertad #50, Fracc. Romero,
 MX-Tecate 21410, B.C., Mexico
 Phone (0) 55 1163 8840
 Fax (0) 55 1163 8840
 e-mail: info@consulab-bqsos.com

The Netherlands**Bio-Connect B.V.**

Begonialaan 3a, 6851 TE HUISSSEN The Netherlands
 Phone 31 (0) 26 326 4450
 Fax 31 (0) 26 326 4451
 e-mail: info@bio-connect.nl
 Web site: www.bio-connect.nl

New Zealand**Sapphire Bioscience Pty. Ltd.**

Suite 1, 134 Redfern Street, AU-Redfern NSW 2016, Australia
 Phone 61 (0) 2 9698 2022
 Fax 61 (0) 2 9698 1022
 e-mail: sales@sapphirebioscience.com
 Web site: www.sapphirebioscience.com

Poland**Biomibio**

Ul. Strzygłowska 15
 PL-04-872
 Warszawa, Poland
 Phone +48 22 872 07 97
 Fax +48 22 872 07 97
 e-mail: biomibio@buiomibio.com.pl

Singapore**Genomax Technologies Pte Ltd**

20 Ayer Rajah Crescent #07-25, Singapore 139964
 Phone 65 6891 4154
 Fax 65 6314 4218
 e-mail: info@genomax.com.sg
 Web site: www.genomax.com.sg

Spain**Grupo Taper SA**

Avda. de la Industria 49, ES-28108 Alcobendas,
 Madrid, Spain
 Phone (91) 659 6520
 Fax (91) 661 0084
 e-mail: imartin@grupotaper.com
 Web site: www.grupotaper.com

Switzerland**BioCat GmbH**

Im Neuenheimer Feld 584, D-69120 Heidelberg, Germany
 Phone 49 (0) 6221 714 15 16
 Fax 49 (0) 6221 714 15 29
 e-mail: info@biocat.com
 Web site: www.biocat.com

Taiwan**GenDiscovery Biotechnology, Inc**

F4, No177, Hsin Ta Wu Road, Sec1, Hsi-Chih Taipei County,
 221, Taiwan
 Phone 886 2 8691 8491
 Fax 886 2 8691 8479
 Web site: www.gendiscovery.com.tw

UK / Ireland**Cambridge Bioscience Ltd.**

24-25 Signet Court, Newmarket Road Cambridge CB5 8LA,
 United Kingdom
 Phone 44 (0) 1223 316855
 Fax 44 (0) 1223 360732
 e-mail: tech@bioscience.co.uk
 Web site: www.bioscience.co.uk

USA**Axxora, LLC**

6181 Cornerstone Court East Suite 103 San Diego, CA 92121
 Phone 1 800 550 3896 or (858) 550 2032
 Fax 1 800 550 8825 or (858) 550 8825
 e-mail: evrogen@axxora.com
 Web site: www.axxora.com/evn

Wako Chemicals USA, Inc.

1600 Bellwood Road, Richmond, VA 23237 USA
 Toll free telephone number 877 714 1920
 Phone 804 271 7677
 Fax 804 271 7791
 Web site: www.wakousa.com

Customers from other countries can order Evrogen products via
 the Axxora.com Marketplace <http://www.axxora.com/evn>